


# BP10 TV

## Data Sheet





BP11 TV



BP12 TV

The BP10 TV is a small, compact hand-held control available in two version, the BP11 TV and the BP12 TV controlling 1 or 2 references, respectively. The wireless BP10 TV series combines ergonomic design and functionality into a user-friendly control with concave and convex buttons for intuitive use.

The BP10 TV comes with a magnetic backside which means that it can be attached to a TV frame or a DESKLIFT™ column to avoid misplacement when not used.

Together with the BLE2LIN, the BP10 TV forms a wireless system perfect for flat screen applications where cables are undesired. The BP10 TV is compatible with all DESKLINE® systems - both CBD6S systems and DL IC systems - just plug & play.

## Features/Options/Compatibility/Usage

### Features

- Hand control controlling one or two referencesilErgonomic and elegant design
- Magnetic
- Concave and convex buttons for intuitive use
- Replaceable CR2032 battery
- PVC-Free™
- Supports sleep mode \*

\* Sleep mode:

When no key is pressed, the hand control will enter sleep mode 5 seconds after last operation. If a key (or a key combination) is pressed for more than 2 minutes, the hand control enters power-saving mode even if the hand control at that time is connected to a system. When this happens, the hand control will disconnect from the system (if connected) and enter a power-saving mode where the keys are scanned every 500 ms for changes (the hand control is sleeping the rest of the time). This is done to conserve power if a key becomes stuck during transportation. The power-saving mode is left when all keys are released.

### Options

- Customised print and/or logo
- Customised colour

### Compatibility

- DESKLINE® systems (CBD6S and DL IC) via the BLE2LIN Bluetooth® adapter

### Usage

- For indoor use in dry locations

| Parameter            | Operation                   | Storage and transportation  |
|----------------------|-----------------------------|-----------------------------|
| Temperature          | 10 to 40 °C                 | -10 to +50 °C               |
| Relative humidity    | 20% to 80% - non-condensing | 20% to 80% - non-condensing |
| Atmospheric pressure | 800 to 1060 hPa             | 700 to 1060 hPa             |
| Altitude             | Max. 2000 m                 | N/A                         |

- Complies with EN 60335-1
- Complies with UL 4200A

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG Inc. and any use of such marks and logos by LINAK A/S is under license.

## Ordering

| Name    | Item number | Description                |
|---------|-------------|----------------------------|
| BP11 TV | BP11BL3000  | Hand control, 1 reference  |
| BP12 TV | BP12BL3000  | Hand control, 2 references |

Minimum order quantity (MOQ):

- Standard articles: 80 pieces ( $\approx$  one box)
- Special articles: 400 pieces (always in multiples of 80 pieces)
- Top part, top cover, and/or battery cover in custom colours: 1040 pieces (always in multiples of 80 pieces)


## Dimension drawings



All dimensions are in mm.



The bottom part of the front cover forms the battery cover.



Drawing no. 1055W4009

Figure 1 BP11 TV




Figure 2 BP12 TV

Drawing no. 1055W4016

# Contacts

## FACTORIES

Denmark - Headquarters  
LINAK A/S  
Phone: +45 73 15 15 15  
Fax: +45 74 45 80 48  
Fax (Sales): +45 73 15 16 13  
Web: [www.linak.com](http://www.linak.com)

China  
LINAK (Shenzhen) Actuator Systems, Ltd.  
Phone: +86 755 8610 6656  
Phone: +86 755 8610 6990  
Web: [www.linak.cn](http://www.linak.cn)

Slovakia  
LINAK Slovakia s.r.o.  
Phone: +421 51 7563 444  
Web: [www.linak.sk](http://www.linak.sk)

Thailand  
LINAK APAC Ltd.  
Phone: +66 33 265 400  
Web: [www.linak.com](http://www.linak.com)

USA  
LINAK U.S. Inc.  
Americas Headquarters  
Phone: +1 502 253 5595  
Fax: +1 502 253 5596  
Web: [www.linak-us.com](http://www.linak-us.com)  
[www.linak-latinamerica.com](http://www.linak-latinamerica.com)

## SUBSIDIARIES

Australia  
LINAK Australia Pty. Ltd  
Phone: +61 3 8796 9777  
Fax: +61 3 8796 9778  
E-mail: [sales@linak.com.au](mailto:sales@linak.com.au)  
Web: [www.linak.com.au](http://www.linak.com.au)

Austria  
LINAK Zweigniederlassung - Österreich (Wien)  
Phone: +43 (1) 890 7446  
Fax: +43 (1) 890 744615  
E-mail: [info@linak.de](mailto:info@linak.de)  
Web: [www.linak.at](http://www.linak.at) - [www.linak.hu](http://www.linak.hu)

Belgium  
LINAK Actuator-Systems NV/SA  
(Belgium & Luxembourg)  
Phone: +32 (0)9 230 01 09  
E-mail: [beinfo@linak.be](mailto:beinfo@linak.be)  
Web: [www.linak.be](http://www.linak.be) - [www.fr.linak.be](http://www.fr.linak.be)

Brazil  
LINAK Do Brasil Comércio De Atuadores Ltda.  
Phone: +55 (11) 2832 7070  
Fax: +55 (11) 2832 7060  
E-mail: [info@linak.com.br](mailto:info@linak.com.br)  
Web: [www.linak.com.br](http://www.linak.com.br)

Canada  
LINAK Canada Inc.  
Phone: +1 502 253 5595  
Fax: +1 416 255 7720  
E-mail: [info@linak.ca](mailto:info@linak.ca)  
Web: [www.linak-us.com](http://www.linak-us.com)

Czech Republic  
LINAK C&S s.r.o.  
Phone: +42 058 174 1814  
Fax: +42 058 170 2452  
E-mail: [info@linak.cz](mailto:info@linak.cz)  
Web: [www.linak.cz](http://www.linak.cz) - [www.linak.sk](http://www.linak.sk)

Denmark - International  
LINAK International  
Phone: +45 73 15 15 15  
E-mail: [info@linak.com](mailto:info@linak.com)  
Web: [www.linak.com](http://www.linak.com)

Denmark - Sales  
LINAK Danmark A/S  
Phone: +45 86 80 36 11  
Fax: +45 86 82 90 51  
E-mail: [linak@linak-silkeborg.dk](mailto:linak@linak-silkeborg.dk)  
Web: [www.linak.dk](http://www.linak.dk)

Finland  
LINAK OY  
Phone: +358 10 841 8700  
E-mail: [linak@linak.fi](mailto:linak@linak.fi)  
Web: [www.linak.fi](http://www.linak.fi)

France  
LINAK France E.U.R.L.  
Phone: +33 (0) 2 41 36 34 34  
Fax: +33 (0) 2 41 36 35 00  
E-mail: [linak@linak.fr](mailto:linak@linak.fr)  
Web: [www.linak.fr](http://www.linak.fr)

Germany  
LINAK GmbH  
Phone: +49 6043 9655 0  
Fax: +49 6043 9655 60  
E-mail: [info@linak.de](mailto:info@linak.de)  
Web: [www.linak.de](http://www.linak.de)

India  
LINAK A/S India Liaison Office  
Phone: +91 120 4531797  
Fax: +91 120 4786428  
E-mail: [info@linak.in](mailto:info@linak.in)  
Web: [www.linak.in](http://www.linak.in)

Ireland  
LINAK UK Limited (Ireland)  
Phone: +44 (0)121 544 2211  
Fax: +44 (0)121 544 2552  
+44 (0)796 855 1606 (UK Mobile)  
+35 387 634 6554 (Rep.of Ireland Mobile)  
E-mail: [sales@linak.co.uk](mailto:sales@linak.co.uk)  
Web: [www.linak.co.uk](http://www.linak.co.uk)

Italy  
LINAK ITALIA S.r.l.  
Phone: +39 02 48 46 33 66  
Fax: +39 02 48 46 82 52  
E-mail: [info@linak.it](mailto:info@linak.it)  
Web: [www.linak.it](http://www.linak.it)

Japan  
LINAK K.K.  
Phone: 81-45-533-0802  
Fax: 81-45-533-0803  
E-mail: [linak@linak.jp](mailto:linak@linak.jp)  
Web: [www.linak.jp](http://www.linak.jp)

Malaysia  
LINAK Actuators Sdn. Bhd.  
Phone: +60 4 210 6500  
Fax: +60 4 226 8901  
E-mail: [info@linak-asia.com](mailto:info@linak-asia.com)  
Web: [www.linak.my](http://www.linak.my)

Netherlands  
LINAK Actuator-Systems B.V.  
Phone: +31 76 5 42 44 40 /  
+31 76 200 11 10  
E-mail: [info@linak.nl](mailto:info@linak.nl)  
Web: [www.linak.nl](http://www.linak.nl)

New Zealand  
LINAK New Zealand Ltd  
Phone: +64 9580 2071  
Fax: +64 9580 2072  
E-mail: [nzsales@linak.com.au](mailto:nzsales@linak.com.au)  
Web: [www.linak.com.au](http://www.linak.com.au)

Norway  
LINAK Norge AS  
Phone: +47 32 82 90 90  
E-mail: [info@linak.no](mailto:info@linak.no)  
Web: [www.linak.no](http://www.linak.no)

Poland  
LINAK Polska  
LINAK Danmark A/S (Spółka Akcyjna)  
Phone: +48 22 295 09 70 /  
+48 22 295 09 71  
E-mail: [info@linak.pl](mailto:info@linak.pl)  
Web: [www.linak.pl](http://www.linak.pl)

Republic of Korea  
LINAK Korea Ltd.  
Phone: +82 2 6231 1515  
Fax: +82 2 6231 1516  
E-mail: [info@linak.kr](mailto:info@linak.kr)  
Web: [www.linak.kr](http://www.linak.kr)

Slovakia  
LINAK Slovakia S.R.O.  
Phone: +421 51 7563 444  
Web: [www.linak.sk](http://www.linak.sk)

Spain  
LINAK Actuadores, S.L.u  
Phone: +34 93 588 27 77  
Fax: +34 93 588 27 85  
E-mail: [esma@linak.es](mailto:esma@linak.es)  
Web: [www.linak.es](http://www.linak.es)

Sweden  
LINAK Scandinavia AB  
Phone: +46 8 732 20 00  
Fax: +46 8 732 20 50  
E-mail: [info@linak.se](mailto:info@linak.se)  
Web: [www.linak.se](http://www.linak.se)

Switzerland  
LINAK AG  
Phone: +41 43 388 31 88  
E-mail: [info@linak.ch](mailto:info@linak.ch)  
Web: [www.linak.ch](http://www.linak.ch) - [www.fr.linak.ch](http://www.fr.linak.ch)  
[www.it.linak.ch](http://www.it.linak.ch)

Taiwan  
LINAK (Shenzhen) Actuator systems Ltd.  
Taiwan Representative office  
Phone: +886 2 272 90068  
Fax: +886 2 272 90096  
E-mail: [sales@linak.com.tw](mailto:sales@linak.com.tw)  
Web: [www.linak.com.tw](http://www.linak.com.tw)

Turkey  
LINAK İth. İhr. San. ve Tic. A.Ş.  
Phone: +90 312 4726338  
Fax: +90 312 4726635  
E-mail: [info@linak.com.tr](mailto:info@linak.com.tr)  
Web: [www.linak.com.tr](http://www.linak.com.tr)

United Kingdom  
LINAK UK Limited  
Phone: +44 (0)121 544 2211  
Fax: +44 (0)121 544 2552  
E-mail: [sales@linak.co.uk](mailto:sales@linak.co.uk)  
Web: [www.linak.co.uk](http://www.linak.co.uk)

## DISTRIBUTORS

Argentina  
Novotec Argentina SRL  
Phone: 011-4303-8989 / 8900  
Fax: 011-4032-0184  
E-mail: [info@novotecargentina.com](mailto:info@novotecargentina.com)  
Web: [www.novotecargentina.com](http://www.novotecargentina.com)

Colombia  
MEM Ltda  
Phone: +[57] (1) 334-7666  
Fax: +[57] (1) 282-1684  
E-mail: [servicioalcliente@memlda.com.co](mailto:servicioalcliente@memlda.com.co)  
Web: [www.mem.net.co](http://www.mem.net.co)

India  
Mechatronics Control Equipments India Pvt Ltd  
Phone: +91-44-28558484, 85  
E-mail: [bala@mechatronicscontrol.com](mailto:bala@mechatronicscontrol.com)  
Web: [www.mechatronicscontrol.com](http://www.mechatronicscontrol.com)

Indonesia  
PT. Himalaya Everest Jaya  
Phone: +6 221 544 8956 /+6 221 544 8965  
Fax: +6 221 619 1925  
Fax (Sales): +6 221 619 4658  
E-mail: [hejplastic-div@centrin.net.id](mailto:hejplastic-div@centrin.net.id)  
[www.hej.co.id](mailto:www.hej.co.id)

Israel  
NetivTech LTD  
Phone: +972 55-2266-535  
Fax: +972 2-9900-560  
Email: [info@NetivTech.com](mailto:info@NetivTech.com)  
Web: [www.netivtech.com](http://www.netivtech.com)

Singapore  
Servo Dynamics Pte Ltd  
Phone: +65 6844 0288  
Fax: +65 6844 0070  
E-mail: [servodynamics@servo.com.sg](mailto:servodynamics@servo.com.sg)

South Africa  
Industrial Specialised Applications CC  
Phone: +27 011 466 0346  
E-mail: [gartht@isagroup.co.za](mailto:gartht@isagroup.co.za)  
Web: [www.isaza.co.za](http://www.isaza.co.za)

United Arab Emirates  
Mechatronics  
Phone: +971 4 267 4311  
Fax: +971 4 267 4312  
E-mail: [mechtron@emirates.net.ae](mailto:mechtron@emirates.net.ae)

## Terms of use

LINAK® takes great care in providing accurate and up-to-date information on its products. However, the user is responsible for determining the suitability of LINAK products for a specific application. Due to continual development, LINAK products are subject to frequent modifications and changes. LINAK reserves the rights to conduct modifications, updates, and changes without any prior notice. For the same reason, LINAK cannot guarantee the correctness and actual status of imprinted information on its products.

LINAK uses its best efforts to fulfil orders. However, for the reasons mentioned above, LINAK cannot guarantee availability of any particular product at any given time. LINAK reserves the right to discontinue the sale of any product displayed on its website or listed in its catalogues or in other written material created and produced by LINAK, LINAK subsidiaries, or LINAK affiliates. All sales are subject to the 'Standard Terms of Sale and Delivery for LINAK A/S' available on LINAK websites. LINAK and the LINAK logotype are registered trademarks of LINAK A/S. All rights reserved.